

1 8. An advanced computer corner desk comprising the corner section of claim 1 further including
2 adjacent furniture components on at least one side of said corner section, wherein such adjacent
3 furniture components have a front edge parallel to a back edge, a side edge normal to said front
4 and rear edges, and an oblique edge at a 45° angle to said front edge thereof, said component
5 when in position abutting said corner section and said component having its oblique edge
6 intersecting the front edge of said corner section at a 90° angle.

7 Please enter claim 14 as follows,

8 14. An advanced computer desk corner section comprising:

9 a corner section comprising a pentagonal work surface having a top side and an
10 underside with a front edge, two side edges in which each one is on the opposite ends of the front
11 edge and disposed at a 45° angle to said front edge, and two rear edges which meet at a 90°
12 angle, the extension of the side edges being less than the extension of the rear edges;

13 a keyboard platform mounted beneath said front edge and which moves outwardly from
14 said front edge for utilization and sized in one dimension at about 27 inches to receive both a
15 (104) key keyboard and an adjacent mouse pad;

16 the underside of said work surface having a control switch electrically connected to a
17 surge protector unit having a plurality of electrical outlets therein,

18 the underside of said work surface having a control switch electrically connected to a surge
19 protector unit having a plurality of electrical outlets therein for said switch to electrically activate
20 or deactivate the surge protector, said surge protector having a line cord and plug thereon; and

21 said work surface having an aperture therethrough near the 90° angle at the rear corner
22 thereof.

23 Please enter claim 22 as follows,

24 22. An advanced computer corner desk comprising:

25 a corner section comprising a pentagonal work surface having a top side and an
26 underside with a front edge, two side edges in which each one is on the opposite ends of the front
27 edge and disposed at a 45° angle to said front edge, and two rear edges which meet at a 90°
28 angle, the extension of the side edges being less than the extension of the rear edges;

29 a keyboard platform mounted beneath said front edge and which moves outwardly from
30 said front edge for utilization and sized in one dimension at about 27 inches to receive both a
31 (104) key keyboard and an adjacent mouse pad;

32 the underside of said work surface having a control switch electrically connected to a
33 surge protector unit having a plurality of electrical outlets therein,

1 the underside of said work surface having a control switch electrically connected to a surge
2 protector unit having a plurality of electrical outlets therein for said switch to electrically activate
3 or deactivate the surge protector, said surge protector having a line cord and plug thereon;

4 said work surface having an aperture therethrough near the 90° angle at the rear corner
5 thereof;

6 an adjacent furniture component disposed adjacent to each side of the corner section and
7 attached thereto; and

8 wherein such adjacent furniture component comprise a return having a pedestal and shelf
9 which shelf has a front edge parallel to a back edge, a side edge normal to said front and rear
10 edge, and an oblique edge at a 45° angle to said front edge thereof, said component when in
11 position abutting said corner section, having its oblique edge intersecting the front edge of said
12 corner section at a 90° angle.

13 Please add new claim 26 as follows,

14 26. An advanced computer desk corner section comprising a pentagonal work surface having
15 a top side and an underside with a front edge and two side edges, each on the opposite ends of
16 the front edge disposed at a 45° angle to said front edge and two rear edges which meet at a 90°
17 angle, the extension of the side edges being less than the extension of the rear edges;

18 a keyboard platform mounted beneath said front edge and which infinitely adjusts up and
19 down and tilts to a negative or positive position and sized in one dimension at about 27 inches
20 to receive both a (104) key keyboard and an adjacent mouse pad; and

21 wherein the side edges of said desk range in extension from a front side from about 14
22 to 16 inches to said rear edges.

23 Please add new claim 27 as follows,

24 27. The computer corner desk of claim 25, further comprising the corner section of claim 1
25 further including adjacent furniture components on at least one side of said corner section,
26 wherein such adjacent furniture components have a front edge parallel to a back edge, a side edge
27 normal to said front and rear edges, and an oblique edge at a 45° angle to said front edge thereof,
28 said component when in position abutting said corner section and said component having its
29 oblique edge intersecting the front edge of said corner section at a 90° angle.

30 Please add new claim 28 as follows,

31 28. The computer desk of claim 14, wherein the side edges of said desk range in extension from
32 14 to 16 inches.

33 Please add new claim 29 as follows,

pub B4
29. An advanced computer desk corner section comprising a pentagonal work surface having a top side and an underside with a front edge and two side edges, each on the opposite ends of the front edge disposed at a 45° angle to said front edge and two rear edges which meet at a 90° angle, the extension of the side edges being less than the extension of the rear edges;

as
a keyboard platform mounted beneath said front edge and which infinitely adjusts up and down and tilts to a negative or positive position and sized in one dimension at about 27 inches to receive both a (104) key keyboard and an adjacent mouse pad;

the underside of said work surface having a control switch electrically connected to a surge protector unit having a plurality of electrical outlets therein, for said switch to electrically activate or deactivate the surge protector, said surge protector having a line cord and plug thereon; and

said work surface being adapted for support by adjacent furniture components.

Please add new claim 30 as follows,

30. The computer desk corner section of claim 15, wherein the extension of each of the respective side edges of said corner desk is dimensionally smaller than the extension of the respective side edge of any adjacent furniture component that is the distant side edge from the said corner desk and is not the side edge that abuts the front edge of said corner desk.